

EBR-MODULE RS232**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Product image****Module for saving and loading a device configuration**

- Reduced system downtime by simple reconfiguration if equipment is swapped over
- Automatic loading of the saved configuration possible after device restart
- Compact and robust design
- Useable with all Weidmüller managed switches and industrial WLAN devices

General ordering data

Version	Configuration module, IP40, 0 °C...60 °C
Order No.	1241430000
Type	EBR-MODULE RS232
GTIN (EAN)	4050118029086
Qty.	1 pc(s).

EBR-MODULE RS232**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Depth	97 mm	Depth (inches)	3.819 inch
Height	12 mm	Height (inches)	0.472 inch
Width	32.5 mm	Width (inches)	1.28 inch
Net weight	50 g		

Temperatures

Storage temperature	-20 °C...70 °C	Operating temperature	0 °C...60 °C
Humidity	5 to 95 % (non-condensing)		

EMC conformity and approvals

EMC standards	FCC Part 15, CISPR (EN55022) Class A, EN 61000-4-2 (ESD), Stage 2, EN 61000-4-3 (RS), Stage 3, EN 61000-4-4 (EFT), Stage 3, EN 61000-4-5 (surge voltage), Stage 3, EN 61000-4-6 (CS), Stage 3
---------------	---

Environmental conditions

Humidity	5 to 95 % (non-condensing)	Operating temperature, max.	60 °C
Operating temperature, min.	0 °C	Storage temperature, max.	70 °C
Storage temperature, min.	-20 °C		

Guarantee

Time interval	5 years
---------------	---------

Power supply

Connection type	RJ45-Port, RS232
-----------------	------------------

Technical data

Cable length	0.35 m	Housing main material	PVC casting
Protection degree	IP40	Type of fixing	M4 screw (< 4 mm)

Classifications

ETIM 6.0	EC001068	ETIM 7.0	EC001068
ETIM 8.0	EC001068	ETIM 9.0	EC001068
ECLASS 9.1	19-15-07-90	ECLASS 10.0	19-15-07-90
ECLASS 11.0	19-17-03-04	ECLASS 12.0	19-17-03-04
ECLASS 13.0	19-17-03-04	ECLASS 14.0	19-17-03-04

Environmental Product Compliance

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	7cl
REACH SVHC	No SVHC above 0.1 wt%

Creation date November 5, 2024 1:48:53 AM CET

Catalogue status 26.10.2024 / We reserve the right to make technical changes.

EBR-MODULE RS232**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Approvals**

Approvals



ROHS

Conform

DownloadsApproval/Certificate/Document of Con- [UK Declaration of Conformity](#)
formity [EU Declaration of Conformity](#)Engineering Data [CAD data – STEP](#)User Documentation [Hardware Installation Guide](#)Catalogues [Catalogues in PDF-format](#)

Brochures