

**HDC HP550 MTA 4P SET****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Accessories especially suitable for the demands of wagon-to-wagon coupling have been developed for the High-Power end-wall connectors and thus significantly enhance the added value of the plug-in connectors.

Easy-to-install coding pins ensure reverse polarity protection, plastic cover caps provide sufficient dust protection, while aluminium covers are designed to be absolutely water and dust-proof.

The accessories intelligently round off the overall system.

**General ordering data**

|            |                                    |
|------------|------------------------------------|
| Version    | HDC enclosures, Number of poles: 4 |
| Order No.  | <a href="#">1488280000</a>         |
| Type       | HDC HP550 MTA 4P SET               |
| GTIN (EAN) | 4050118298390                      |
| Qty.       | 1 pc(s).                           |

**HDC HP550 MTA 4P SET****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |       |                 |           |
|------------|-------|-----------------|-----------|
| Length     | 16 mm | Length (inches) | 0.63 inch |
| Net weight | 74 g  |                 |           |

**Temperatures**

|                   |                   |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 120 °C |
|-------------------|-------------------|

**General data**

|          |             |        |           |
|----------|-------------|--------|-----------|
| Material | Sheet steel | Series | HighPower |
|----------|-------------|--------|-----------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002641    | ETIM 7.0    | EC002641    |
| ETIM 8.0    | EC002641    | ETIM 9.0    | EC002641    |
| ECLASS 9.0  | 27-44-03-06 | ECLASS 9.1  | 27-44-01-90 |
| ECLASS 10.0 | 27-44-03-06 | ECLASS 11.0 | 27-44-03-06 |
| ECLASS 12.0 | 27-44-03-06 | ECLASS 13.0 | 27-44-03-06 |
| ECLASS 14.0 | 27-44-03-06 |             |             |

**Environmental Product Compliance**

|                        |                             |
|------------------------|-----------------------------|
| REACH SVHC             | /                           |
| RoHS Compliance Status | Compliant without exemption |

**Important note**

|                     |   |
|---------------------|---|
| Product information | Depending on the intended operation, internally generated voltages can superimpose the working voltage and contain corresponding peaks. It is imperative to ensure that these peak voltages do not exceed the rated voltage. For applications outside of this specification, please contact us. |
|---------------------|---|

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                    |   |
|--------------------|---|
| Engineering Data   | <a href="#">CAD data – STEP</a>                         |
| User Documentation | <a href="#">59005_HDC_HP550_MTA_4P_SET_00_BLATT.pdf</a> |
| Catalogues         | <a href="#">Catalogues in PDF-format</a>                |
| Brochures          | <a href="#">FL FIELDWIRING EN</a>                       |