

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

**General ordering data**

Version	Hexagonal crimp
Order No.	<a href="#">1502690000</a>
Type	ES APG 80 HEX 95
GTIN (EAN)	4050118310610
Qty.	1 pc(s).

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

Net weight	333 g
------------	-------

**Crimp inserts**

Crimp cross-section aluminium	70	Crimp cross-section copper	95
Crimping width	10 mm	Crimping width in mm	10
Identification number	18		

**Description of contact**

Conductor cross-section, max. AWG	3/0
-----------------------------------	-----

**tool data crimping**

Cable lug cross section	nominal	95 mm <sup>2</sup>
Crimping type/profile	Hexagonal crimp	

**Classifications**

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ECLASS 9.0	21-04-90-90	ECLASS 9.1	21-01-90-90
ECLASS 10.0	21-04-90-90	ECLASS 11.0	21-04-90-90
ECLASS 12.0	21-04-90-90	ECLASS 13.0	21-04-90-90

**Environmental Product Compliance**

REACH SVHC	/
------------	---

**Downloads**

Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M10/-16	Version
Order No.	<a href="#">1494100000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118303728	
Qty.	100 pc(s).	
Type	KQN-M8/-16	Version
Order No.	<a href="#">1494090000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118303742	
Qty.	100 pc(s).	
Type	KQN-M12/-16	Version
Order No.	<a href="#">1494110000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118303773	
Qty.	100 pc(s).	
Type	KQN-M5/-16	Version
Order No.	<a href="#">1494070000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118303650	
Qty.	100 pc(s).	
Type	KQN-M6/-16	Version
Order No.	<a href="#">1494080000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118303636	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


Type	KWPN-M12/-150 90	Version
Order No.	<a href="#">1497820000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118307306	
Qty.	25 pc(s).	
Type	KWPN-M16/-150 90	Version
Order No.	<a href="#">1497830000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118307160	
Qty.	25 pc(s).	
Type	KWPN-M20/150 90	Version
Order No.	<a href="#">1496680000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118306088	
Qty.	25 pc(s).	
Type	KWPN-M10/-150 90	Version
Order No.	<a href="#">1497810000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118307221	
Qty.	25 pc(s).	
Type	KWPN-M8/-150 90	Version
Order No.	<a href="#">1497790000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118307085	
Qty.	25 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****150 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VSTN/150	Version
Order No.	<a href="#">1493120000</a>	cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup>
GTIN (EAN)	4050118302905	
Qty.	50 pc(s).	

**95 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPLN/-95	Version
Order No.	<a href="#">1492950000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118302622	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M12/-35 45	Version
Order No.	<a href="#">1496250000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306002	
Qty.	50 pc(s).	
Type	KWN-M6/-35 45	Version
Order No.	<a href="#">1496220000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305852	
Qty.	50 pc(s).	
Type	KWN-M10/-35 45	Version
Order No.	<a href="#">1496240000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306217	
Qty.	50 pc(s).	
Type	KWN-M8/-35 45	Version
Order No.	<a href="#">1496230000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305968	
Qty.	50 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-95	Version
Order No.	<a href="#">1498680000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118307917	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-120 S	Version
Order No.	<a href="#">1494420000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304077	
Qty.	10 pc(s).	
Type	KRN-M10/-120 S	Version
Order No.	<a href="#">1494920000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304626	
Qty.	10 pc(s).	
Type	KRN-M12/-120 S	Version
Order No.	<a href="#">1494930000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304602	
Qty.	10 pc(s).	
Type	KRN-M6/-120 S	Version
Order No.	<a href="#">1494410000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304060	
Qty.	10 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQNG-M6/-10	Version
Order No.	<a href="#">1492690000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118302394	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KQNG-M5/-10	Version
Order No.	<a href="#">1492680000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118302479	
Qty.	100 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-16	Version
Order No.	<a href="#">1497140000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118306620	
Qty.	50 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M8/-95 90	Version
Order No.	<a href="#">1497690000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307207	
Qty.	25 pc(s).	
Type	KWPN-M12/-95 90	Version
Order No.	<a href="#">1497720000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307214	
Qty.	25 pc(s).	
Type	KWPN-M10/-95 90	Version
Order No.	<a href="#">1497710000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307139	
Qty.	25 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWPN-M16/-95 90	Version
Order No.	<a href="#">1497730000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307054	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-16	Version
Order No.	<a href="#">1498630000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118307856	
Qty.	100 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-25	Version
Order No.	<a href="#">1494730000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118304275	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQNG-M6/-16	Version
Order No.	<a href="#">1492700000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118302493	
Qty.	50 pc(s).	
Type	KQNG-M8/-16	Version
Order No.	<a href="#">1492710000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118302677	
Qty.	50 pc(s).	

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M12/-240	Version
Order No.	<a href="#">1493470000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118303551	
Qty.	25 pc(s).	
Type	KQN-M10/-240	Version
Order No.	<a href="#">1493460000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118303230	
Qty.	25 pc(s).	
Type	KQN-M16/-240	Version
Order No.	<a href="#">1493480000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118303209	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-150	Version
Order No.	<a href="#">1497380000</a>	cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup>
GTIN (EAN)	4050118306958	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M12/-16	Version
Order No.	<a href="#">1497010000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306538	
Qty.	100 pc(s).	
Type	KRN-M8/-16	Version
Order No.	<a href="#">1496990000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306514	
Qty.	100 pc(s).	
Type	KRN-M5/-16	Version
Order No.	<a href="#">1496970000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306569	
Qty.	100 pc(s).	
Type	KRN-M6/-16	Version
Order No.	<a href="#">1496980000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306583	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M10/-16	Version
Order No.	<a href="#">1497000000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306460	
Qty.	100 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/10	Version
Order No.	<a href="#">1493030000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118302776	
Qty.	100 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M12/-25 90	Version
Order No.	<a href="#">1497530000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307108	
Qty.	100 pc(s).	
Type	KWPN-M8/-25 90	Version
Order No.	<a href="#">1497510000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306972	
Qty.	100 pc(s).	
Type	KWPN-M10/-25 90	Version
Order No.	<a href="#">1497520000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306989	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

Type	KWPN-M6/-25 90	Version
Order No.	<a href="#">1497490000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306668	
Qty.	100 pc(s).	

## Tools



### Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

### General ordering data

Type	APG 80	Version
Order No.	<a href="#">1502390000</a>	6mm <sup>2</sup> , 400mm <sup>2</sup>
GTIN (EAN)	4050118310627	
Qty.	1 pc(s).	

## 25 mm<sup>2</sup>



### The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KP-M16/-25	Version
Order No.	<a href="#">1498010000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307443	
Qty.	100 pc(s).	
Type	KP-M6/-25	Version
Order No.	<a href="#">1497970000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307412	
Qty.	100 pc(s).	
Type	KP-M8/-25	Version
Order No.	<a href="#">1497980000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307528	
Qty.	100 pc(s).	

Creation date July 5, 2024 3:28:12 AM CEST

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KP-M10/-25	Version
Order No.	<a href="#">1497990000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307535	
Qty.	100 pc(s).	
Type	KP-M12/-25	Version
Order No.	<a href="#">1498000000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118307504	
Qty.	100 pc(s).	

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M20/-240 90	Version
Order No.	<a href="#">1496750000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118306095	
Qty.	20 pc(s).	
Type	KWPN-M16/-240 90	Version
Order No.	<a href="#">1496740000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118306507	
Qty.	20 pc(s).	
Type	KWPN-M12/-240 90	Version
Order No.	<a href="#">1496730000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118306279	
Qty.	20 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KSN/-16	Version
Order No.	<a href="#">1492790000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118302745	
Qty.	100 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M12/-10	Version
Order No.	<a href="#">1496950000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306453	
Qty.	100 pc(s).	
Type	KRN-M4/-10	Version
Order No.	<a href="#">1496900000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306293	
Qty.	100 pc(s).	
Type	KRN-M6/-10	Version
Order No.	<a href="#">1496920000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306439	
Qty.	100 pc(s).	
Type	KRN-M10/-10	Version
Order No.	<a href="#">1496940000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306521	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M5/-10	Version
Order No.	<a href="#">1496910000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306378	
Qty.	100 pc(s).	
Type	KRN-M8/-10	Version
Order No.	<a href="#">1496930000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306552	
Qty.	100 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-10 90	Version
Order No.	<a href="#">1497040000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306576	
Qty.	100 pc(s).	
Type	KWN-M10/-10 90	Version
Order No.	<a href="#">1497050000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306750	
Qty.	100 pc(s).	
Type	KWN-M12/-10 90	Version
Order No.	<a href="#">1497070000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306606	
Qty.	100 pc(s).	
Type	KWN-M6/-10 90	Version
Order No.	<a href="#">1497030000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306484	
Qty.	100 pc(s).	
Type	KWN-M5/-10 90	Version
Order No.	<a href="#">1497020000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306712	
Qty.	100 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M8/-120	Version
Order No.	<a href="#">1498480000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307900	
Qty.	50 pc(s).	
Type	KP-M10/-120	Version
Order No.	<a href="#">1498240000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307368	
Qty.	50 pc(s).	
Type	KP-M14/-120	Version
Order No.	<a href="#">1498490000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307771	
Qty.	50 pc(s).	
Type	KP-M20/-120	Version
Order No.	<a href="#">1498280000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307702	
Qty.	50 pc(s).	
Type	KP-M12/-120	Version
Order No.	<a href="#">1498250000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307627	
Qty.	50 pc(s).	
Type	KP-M16/-120	Version
Order No.	<a href="#">1498270000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307580	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-120	Version
Order No.	<a href="#">1494780000</a>	cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup>
GTIN (EAN)	4050118304282	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M10/-16	Version
Order No.	<a href="#">1497950000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307450	
Qty.	100 pc(s).	
Type	KP-M8/-16	Version
Order No.	<a href="#">1497940000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307269	
Qty.	100 pc(s).	
Type	KP-M6/-16	Version
Order No.	<a href="#">1497930000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307290	
Qty.	100 pc(s).	
Type	KP-M5/-16	Version
Order No.	<a href="#">1497920000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307542	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KP-M12/-16	Version
Order No.	<a href="#">1497960000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307436	
Qty.	100 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-35	Version
Order No.	<a href="#">1498650000</a>	cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup>
GTIN (EAN)	4050118308143	
Qty.	100 pc(s).	

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


Type	VSTN/-185	Version
Order No.	<a href="#">1497390000</a>	cable lug, terminal end, 185 mm <sup>2</sup> , 185 mm <sup>2</sup>
GTIN (EAN)	4050118306798	
Qty.	25 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****25 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-25	Version
Order No.	<a href="#">1498640000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118308013	
Qty.	100 pc(s).	

**95 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VSTN/95	Version
Order No.	<a href="#">1493090000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118302929	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M20/-185 90	Version
Order No.	<a href="#">1494580000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304336	
Qty.	25 pc(s).	
Type	KWN-M16/-185 90	Version
Order No.	<a href="#">1494570000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304329	
Qty.	25 pc(s).	
Type	KWN-M12/-185 90	Version
Order No.	<a href="#">1494550000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304213	
Qty.	25 pc(s).	
Type	KWN-M10/-185 90	Version
Order No.	<a href="#">1494540000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304176	
Qty.	25 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M12/-25	Version
Order No.	<a href="#">1494160000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303902	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KQN-M6/-25	Version
Order No.	<a href="#">1494130000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303858	
Qty.	50 pc(s).	
Type	KQN-M5/-25	Version
Order No.	<a href="#">1494120000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303827	
Qty.	50 pc(s).	
Type	KQN-M8/-25	Version
Order No.	<a href="#">1494140000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303872	
Qty.	50 pc(s).	
Type	KQN-M16/-25	Version
Order No.	<a href="#">1493490000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303148	
Qty.	50 pc(s).	
Type	KQN-M10/-25	Version
Order No.	<a href="#">1494150000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118303865	
Qty.	50 pc(s).	

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M16/-185	Version
Order No.	<a href="#">1498370000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307733	
Qty.	25 pc(s).	
Type	KP-M20/-185	Version
Order No.	<a href="#">1498380000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307757	
Qty.	25 pc(s).	
Type	KP-M12/-185	Version
Order No.	<a href="#">1498360000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307726	
Qty.	25 pc(s).	
Type	KP-M8/-185	Version
Order No.	<a href="#">1498540000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307894	
Qty.	25 pc(s).	

Creation date July 5, 2024 3:28:12 AM CEST

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KP-M10/-185	Version
Order No.	<a href="#">1498350000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307665	
Qty.	25 pc(s).	
Type	KP-M14/-185	Version
Order No.	<a href="#">1498590000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118307887	
Qty.	25 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M5/-10 45	Version
Order No.	<a href="#">1496810000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306309	
Qty.	100 pc(s).	
Type	KWN-M6/-10 45	Version
Order No.	<a href="#">1496820000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306286	
Qty.	100 pc(s).	
Type	KWN-M8/-10 45	Version
Order No.	<a href="#">1496830000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306330	
Qty.	100 pc(s).	
Type	KWN-M10/-10 45	Version
Order No.	<a href="#">1496840000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306361	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M6/-10	Version
Order No.	<a href="#">1494030000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118303483	
Qty.	100 pc(s).	
Type	KQN-M4/-10	Version
Order No.	<a href="#">1494010000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118303810	
Qty.	100 pc(s).	
Type	KQN-M10/-10	Version
Order No.	<a href="#">1494050000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118303711	
Qty.	100 pc(s).	
Type	KQN-M5/-10	Version
Order No.	<a href="#">1494020000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118303681	
Qty.	100 pc(s).	
Type	KQN-M8/-10	Version
Order No.	<a href="#">1494040000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118303803	
Qty.	100 pc(s).	
Type	KQN-M12/-10	Version
Order No.	<a href="#">1494060000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118304008	
Qty.	100 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M12/-120 90	Version
Order No.	<a href="#">1494470000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304091	
Qty.	25 pc(s).	
Type	KWN-M10/-120 90	Version
Order No.	<a href="#">1494450000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304084	
Qty.	25 pc(s).	
Type	KWN-M16/-120 90	Version
Order No.	<a href="#">1494480000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304312	
Qty.	25 pc(s).	
Type	KWN-M8/-120 90	Version
Order No.	<a href="#">1494680000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118304343	
Qty.	25 pc(s).	

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-150	Version
Order No.	<a href="#">1498710000</a>	cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup>
GTIN (EAN)	4050118308129	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-25 90	Version
Order No.	<a href="#">1495880000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305449	
Qty.	100 pc(s).	
Type	KWN-M12/-25 90	Version
Order No.	<a href="#">1495890000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305647	
Qty.	100 pc(s).	
Type	KWN-M8/-25 90	Version
Order No.	<a href="#">1495870000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305470	
Qty.	100 pc(s).	
Type	KWN-M14/-25 90	Version
Order No.	<a href="#">1495900000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305517	
Qty.	100 pc(s).	
Type	KWN-M6/-25 90	Version
Order No.	<a href="#">1495850000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305456	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M6/-10 90	Version
Order No.	<a href="#">1497420000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307023	
Qty.	100 pc(s).	
Type	KWPN-M8/-10 90	Version
Order No.	<a href="#">1497430000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306927	
Qty.	100 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-95 S	Version
Order No.	<a href="#">1494430000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303957	
Qty.	25 pc(s).	
Type	KRN-M8/-95 S	Version
Order No.	<a href="#">1494890000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304121	
Qty.	25 pc(s).	
Type	KRN-M12/-95 S	Version
Order No.	<a href="#">1494910000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304510	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M10/-95 S	Version
Order No.	<a href="#">1494900000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304398	
Qty.	25 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPLN/-10	Version
Order No.	<a href="#">1492890000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118302561	
Qty.	100 pc(s).	

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M12/-185	Version
Order No.	<a href="#">1493430000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118303308	
Qty.	25 pc(s).	
Type	KQN-M10/-185	Version
Order No.	<a href="#">1493420000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118303322	
Qty.	25 pc(s).	
Type	KQN-M16/-185	Version
Order No.	<a href="#">1493440000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118303414	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KQN-M20/-185	Version
Order No.	<a href="#">1493450000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118303544	
Qty.	25 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M5/-10	Version
Order No.	<a href="#">1497870000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307252	
Qty.	100 pc(s).	
Type	KP-M8/-10	Version
Order No.	<a href="#">1497890000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307573	
Qty.	100 pc(s).	
Type	KP-M6/-10	Version
Order No.	<a href="#">1497880000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307283	
Qty.	100 pc(s).	
Type	KP-M10/-10	Version
Order No.	<a href="#">1497910000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307276	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KSN/-25	Version
Order No.	<a href="#">1492800000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118302592	
Qty.	50 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-10	Version
Order No.	<a href="#">1498620000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118308136	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M16/-95	Version
Order No.	<a href="#">1493290000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303025	
Qty.	25 pc(s).	
Type	KQN-M10/-95	Version
Order No.	<a href="#">1493270000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303018	
Qty.	25 pc(s).	
Type	KQN-M8/-95	Version
Order No.	<a href="#">1493260000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303162	
Qty.	25 pc(s).	
Type	KQN-M12/-95	Version
Order No.	<a href="#">1493280000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118302899	
Qty.	25 pc(s).	
Type	KQN-M20/-95	Version
Order No.	<a href="#">1493310000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118303407	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-185 45	Version
Order No.	<a href="#">1495340000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304589	
Qty.	20 pc(s).	
Type	KWN-M16/-185 45	Version
Order No.	<a href="#">1495370000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118305074	
Qty.	20 pc(s).	
Type	KWN-M12/-185 45	Version
Order No.	<a href="#">1495350000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118305012	
Qty.	20 pc(s).	
Type	KWN-M20/-185 45	Version
Order No.	<a href="#">1495380000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118305135	
Qty.	20 pc(s).	

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-240 90	Version
Order No.	<a href="#">1494590000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304145	
Qty.	25 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWN-M12/-240 90	Version
Order No.	<a href="#">1494610000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304244	
Qty.	25 pc(s).	
Type	KWN-M20/-240 90	Version
Order No.	<a href="#">1494630000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304138	
Qty.	25 pc(s).	
Type	KWN-M16/-240 90	Version
Order No.	<a href="#">1494620000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304237	
Qty.	25 pc(s).	

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPLN/-150	Version
Order No.	<a href="#">1492970000</a>	cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup>
GTIN (EAN)	4050118302912	
Qty.	50 pc(s).	

25 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M5/-25	Version
Order No.	<a href="#">1495830000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305562	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M6/-25	Version
Order No.	<a href="#">1496490000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305784	
Qty.	100 pc(s).	
Type	KRN-M14/-25	Version
Order No.	<a href="#">1496530000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305883	
Qty.	100 pc(s).	
Type	KRN-M8/-25	Version
Order No.	<a href="#">1496500000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305975	
Qty.	100 pc(s).	
Type	KRN-M10/-25	Version
Order No.	<a href="#">1496510000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305814	
Qty.	100 pc(s).	
Type	KRN-M12/-25	Version
Order No.	<a href="#">1496520000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306163	
Qty.	100 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-35 S	Version
Order No.	<a href="#">1494790000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304466	
Qty.	25 pc(s).	
Type	KRN-M8/-35 S	Version
Order No.	<a href="#">1494810000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304374	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KSN/-10	Version
Order No.	<a href="#">1492780000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118302806	
Qty.	100 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/120	Version
Order No.	<a href="#">1493110000</a>	cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup>
GTIN (EAN)	4050118302813	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M14/-95 90	Version
Order No.	<a href="#">1494670000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118304411	
Qty.	25 pc(s).	
Type	KWN-M16/-95 90	Version
Order No.	<a href="#">1496110000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305678	
Qty.	25 pc(s).	
Type	KWN-M10/-95 90	Version
Order No.	<a href="#">1496090000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305692	
Qty.	25 pc(s).	
Type	KWN-M12/-95 90	Version
Order No.	<a href="#">1496100000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305487	
Qty.	25 pc(s).	
Type	KWN-M8/-95 90	Version
Order No.	<a href="#">1496080000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305685	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-240	Version
Order No.	<a href="#">1497400000</a>	cable lug, terminal end, 240 mm <sup>2</sup> , 240 mm <sup>2</sup>
GTIN (EAN)	4050118306965	
Qty.	25 pc(s).	

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M10/-185 S	Version
Order No.	<a href="#">1494980000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304497	
Qty.	10 pc(s).	
Type	KRN-M16/-185 S	Version
Order No.	<a href="#">1495000000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304367	
Qty.	10 pc(s).	
Type	KRN-M12/-185 S	Version
Order No.	<a href="#">1494990000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304169	
Qty.	10 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-35	Version
Order No.	<a href="#">1494740000</a>	cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup>
GTIN (EAN)	4050118304428	
Qty.	50 pc(s).	

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M12/-120	Version
Order No.	<a href="#">1493340000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118302998	
Qty.	25 pc(s).	
Type	KQN-M8/-120	Version
Order No.	<a href="#">1493320000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118303186	
Qty.	25 pc(s).	
Type	KQN-M20/-120	Version
Order No.	<a href="#">1493360000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118303063	
Qty.	25 pc(s).	
Type	KQN-M10/-120	Version
Order No.	<a href="#">1493330000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118303070	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KQN-M16/-120	Version
Order No.	<a href="#">1493350000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118303100	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-16 90	Version
Order No.	<a href="#">1497100000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306804	
Qty.	100 pc(s).	
Type	KWN-M10/-16 90	Version
Order No.	<a href="#">1497110000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306705	
Qty.	100 pc(s).	
Type	KWN-M12/-16 90	Version
Order No.	<a href="#">1497120000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306736	
Qty.	100 pc(s).	
Type	KWN-M6/16 90	Version
Order No.	<a href="#">1497090000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306743	
Qty.	100 pc(s).	
Type	KWN-M5/-16 90	Version
Order No.	<a href="#">1497080000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306392	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M5/-16 45	Version
Order No.	<a href="#">1496850000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306408	
Qty.	100 pc(s).	
Type	KWN-M8/-16 45	Version
Order No.	<a href="#">1496880000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306422	
Qty.	100 pc(s).	
Type	KWN-M10/-16 45	Version
Order No.	<a href="#">1496890000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306194	
Qty.	100 pc(s).	
Type	KWN-M6/-16 45	Version
Order No.	<a href="#">1496870000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306446	
Qty.	100 pc(s).	

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M12/-150 S	Version
Order No.	<a href="#">1494970000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118304459	
Qty.	10 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KRN-M8/-150 S	Version
Order No.	<a href="#">1494940000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118304701	
Qty.	10 pc(s).	
Type	KRN-M6/-150 S	Version
Order No.	<a href="#">1494440000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118303964	
Qty.	10 pc(s).	
Type	KRN-M10/-150 S	Version
Order No.	<a href="#">1494950000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118304473	
Qty.	10 pc(s).	

10 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-10	Version
Order No.	<a href="#">1497130000</a>	cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup>
GTIN (EAN)	4050118306491	
Qty.	50 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


Type	KSN/-95	Version
Order No.	<a href="#">1492840000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118302790	
Qty.	25 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****120 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPLN/-120	Version
Order No.	<a href="#">1492960000</a>	cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup>
GTIN (EAN)	4050118302936	
Qty.	50 pc(s).	

**300 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-300	Version
Order No.	<a href="#">1498740000</a>	cable lug, terminal end, 300 mm <sup>2</sup> , 300 mm <sup>2</sup>
GTIN (EAN)	4050118308037	
Qty.	10 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M8/-150 45	Version
Order No.	<a href="#">1496430000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118306071	
Qty.	25 pc(s).	
Type	KWN-M10/-150 45	Version
Order No.	<a href="#">1496440000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305777	
Qty.	25 pc(s).	
Type	KWN-M12/-150 45	Version
Order No.	<a href="#">1496450000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305906	
Qty.	25 pc(s).	
Type	KWN-M16/-150 45	Version
Order No.	<a href="#">1496470000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118306132	
Qty.	25 pc(s).	
Type	KWN-M20/-150 45	Version
Order No.	<a href="#">1496480000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305739	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KQN-M16/-35	Version
Order No.	<a href="#">1493140000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118302851	
Qty.	50 pc(s).	
Type	KQN-M8/-35	Version
Order No.	<a href="#">1494180000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304022	
Qty.	50 pc(s).	
Type	KQN-M20/-35	Version
Order No.	<a href="#">1493520000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118303124	
Qty.	50 pc(s).	
Type	KQN-M6/-35	Version
Order No.	<a href="#">1494170000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304015	
Qty.	50 pc(s).	
Type	KQN-M10/-35	Version
Order No.	<a href="#">1494190000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118303780	
Qty.	50 pc(s).	
Type	KQN-M12/-35	Version
Order No.	<a href="#">1493130000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118302837	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M12/-120 45	Version
Order No.	<a href="#">1496410000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306057	
Qty.	25 pc(s).	
Type	KWN-M16/-120 45	Version
Order No.	<a href="#">1496420000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306118	
Qty.	25 pc(s).	
Type	KWN-M10/-120 45	Version
Order No.	<a href="#">1496400000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118306224	
Qty.	25 pc(s).	
Type	KWN-M8/-120 45	Version
Order No.	<a href="#">1496390000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305999	
Qty.	25 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M8/-35 90	Version
Order No.	<a href="#">1497550000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307146	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWPN-M12/-35 90	Version
Order No.	<a href="#">1497580000</a>	cable lug, terminal end, 35 mm²
GTIN (EAN)	4050118306682	
Qty.	100 pc(s).	
Type	KWPN-M6/-35 90	Version
Order No.	<a href="#">1497540000</a>	cable lug, terminal end, 35 mm²
GTIN (EAN)	4050118306996	
Qty.	100 pc(s).	
Type	KWPN-M10/-35 90	Version
Order No.	<a href="#">1497570000</a>	cable lug, terminal end, 35 mm²
GTIN (EAN)	4050118307153	
Qty.	100 pc(s).	

## 150 mm²



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M16/-150	Version
Order No.	<a href="#">1498330000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118307641	
Qty.	25 pc(s).	
Type	KP-M12/-150	Version
Order No.	<a href="#">1498320000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118307658	
Qty.	25 pc(s).	
Type	KP-M14/-150	Version
Order No.	<a href="#">1498580000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118308112	
Qty.	25 pc(s).	
Type	KP-M8/-150	Version
Order No.	<a href="#">1498290000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118307399	
Qty.	25 pc(s).	
Type	KP-M10/-150	Version
Order No.	<a href="#">1498310000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118307801	
Qty.	25 pc(s).	
Type	KP-M20/-150	Version
Order No.	<a href="#">1498340000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118307740	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M12/-300 90	Version
Order No.	<a href="#">1497300000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306781	
Qty.	20 pc(s).	
Type	KWN-M16/-300 90	Version
Order No.	<a href="#">1497310000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306941	
Qty.	20 pc(s).	
Type	KWN-M20/-300 90	Version
Order No.	<a href="#">1497320000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306934	
Qty.	20 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/16	Version
Order No.	<a href="#">1493040000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118302981	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M14/-120	Version
Order No.	<a href="#">1495800000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305616	
Qty.	25 pc(s).	
Type	KRN-M10/-120	Version
Order No.	<a href="#">1495650000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305289	
Qty.	25 pc(s).	
Type	KRN-M12/-120	Version
Order No.	<a href="#">1495670000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305258	
Qty.	25 pc(s).	
Type	KRN-M20/-120	Version
Order No.	<a href="#">1495690000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305524	
Qty.	25 pc(s).	
Type	KRN-M8/-120	Version
Order No.	<a href="#">1495790000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305401	
Qty.	25 pc(s).	
Type	KRN-M16/-120	Version
Order No.	<a href="#">1495680000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118305272	
Qty.	25 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KSN/-35	Version
Order No.	<a href="#">1492810000</a>	cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup>
GTIN (EAN)	4050118302639	
Qty.	50 pc(s).	

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M16/-240	Version
Order No.	<a href="#">1498420000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118307825	
Qty.	20 pc(s).	
Type	KP-M12/-240	Version
Order No.	<a href="#">1498410000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118307672	
Qty.	20 pc(s).	
Type	KP-M10/-240	Version
Order No.	<a href="#">1498390000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118307818	
Qty.	20 pc(s).	
Type	KP-M20/-240	Version
Order No.	<a href="#">1498430000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118307832	
Qty.	20 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KP-M14/-240	Version
Order No.	<a href="#">1498530000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118307689	
Qty.	20 pc(s).	

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M6/-35	Version
Order No.	<a href="#">1496540000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306156	
Qty.	100 pc(s).	
Type	KRN-M10/-35	Version
Order No.	<a href="#">1496570000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305920	
Qty.	100 pc(s).	
Type	KRN-M8/-35	Version
Order No.	<a href="#">1496550000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305913	
Qty.	100 pc(s).	
Type	KRN-M12/-35	Version
Order No.	<a href="#">1496580000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118306019	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-120	Version
Order No.	<a href="#">1498690000</a>	cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup>
GTIN (EAN)	4050118307795	
Qty.	25 pc(s).	

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


Type	KQN-M10/-150	Version
Order No.	<a href="#">1493370000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118303117	
Qty.	25 pc(s).	
Type	KQN-M16/-150	Version
Order No.	<a href="#">1493390000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118303094	
Qty.	25 pc(s).	
Type	KQN-M20/-150	Version
Order No.	<a href="#">1493410000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118303056	
Qty.	25 pc(s).	
Type	KQN-M12/-150	Version
Order No.	<a href="#">1493380000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118303520	
Qty.	25 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****95 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VSTN/-95	Version
Order No.	<a href="#">1494770000</a>	cable lug, terminal end, 95 mm <sup>2</sup> , 95 mm <sup>2</sup>
GTIN (EAN)	4050118304220	
Qty.	50 pc(s).	

**25 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VSTN/25	Version
Order No.	<a href="#">1493050000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118302783	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M8/-35	Version
Order No.	<a href="#">1498030000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307511	
Qty.	100 pc(s).	
Type	KP-M16/-35	Version
Order No.	<a href="#">1498060000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307382	
Qty.	100 pc(s).	
Type	KP-M12/35	Version
Order No.	<a href="#">1498050000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307320	
Qty.	100 pc(s).	
Type	KP-M10/-35	Version
Order No.	<a href="#">1498040000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307337	
Qty.	100 pc(s).	
Type	KP-M6/-35	Version
Order No.	<a href="#">1498020000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118307313	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M10/-300	Version
Order No.	<a href="#">1498440000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118307764	
Qty.	10 pc(s).	
Type	KP-M12/-300	Version
Order No.	<a href="#">1498450000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118307788	
Qty.	10 pc(s).	
Type	KP-M20/-300	Version
Order No.	<a href="#">1498470000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118307849	
Qty.	10 pc(s).	
Type	KP-M16/-300	Version
Order No.	<a href="#">1498460000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118307870	
Qty.	10 pc(s).	
Type	KP-M14/-300	Version
Order No.	<a href="#">1498550000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118307924	
Qty.	10 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M10/-185 90	Version
Order No.	<a href="#">1496690000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306170	
Qty.	25 pc(s).	
Type	KWPN-M16/-185 90	Version
Order No.	<a href="#">1496710000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306262	
Qty.	25 pc(s).	
Type	KWPN-M8/-185 90	Version
Order No.	<a href="#">1496800000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306316	
Qty.	25 pc(s).	
Type	KWPN-M20/-185 90	Version
Order No.	<a href="#">1496720000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306187	
Qty.	25 pc(s).	
Type	KWPN-M12/-185 90	Version
Order No.	<a href="#">1496700000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306323	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-95	Version
Order No.	<a href="#">1495600000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305241	
Qty.	25 pc(s).	
Type	KRN-M10/-95	Version
Order No.	<a href="#">1495610000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305371	
Qty.	25 pc(s).	
Type	KRN-M6/-95	Version
Order No.	<a href="#">1495820000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305531	
Qty.	25 pc(s).	
Type	KRN-M14/-95	Version
Order No.	<a href="#">1495780000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305555	
Qty.	25 pc(s).	
Type	KRN-M16/-95	Version
Order No.	<a href="#">1495630000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305326	
Qty.	25 pc(s).	
Type	KRN-M20/-95	Version
Order No.	<a href="#">1495640000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305319	
Qty.	25 pc(s).	
Type	KRN-M12/-95	Version
Order No.	<a href="#">1495620000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305265	
Qty.	25 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

185 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M10/-185	Version
Order No.	<a href="#">1495430000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304985	
Qty.	25 pc(s).	
Type	KRN-M12/-185	Version
Order No.	<a href="#">1495440000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118304947	
Qty.	25 pc(s).	
Type	KRN-M20/-185	Version
Order No.	<a href="#">1495470000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118305005	
Qty.	25 pc(s).	
Type	KRN-M8/-185	Version
Order No.	<a href="#">1497290000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306897	
Qty.	25 pc(s).	
Type	KRN-M14/-185	Version
Order No.	<a href="#">1497250000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118306880	
Qty.	25 pc(s).	
Type	KRN-M16/-185	Version
Order No.	<a href="#">1495450000</a>	cable lug, terminal end, 185 mm <sup>2</sup>
GTIN (EAN)	4050118305036	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M14/-300	Version
Order No.	<a href="#">1497280000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306903	
Qty.	20 pc(s).	
Type	KRN-M10/-300	Version
Order No.	<a href="#">1495530000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118305210	
Qty.	20 pc(s).	
Type	KRN-M12/-300	Version
Order No.	<a href="#">1495540000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118305098	
Qty.	20 pc(s).	
Type	KRN-M20/-300	Version
Order No.	<a href="#">1497240000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306774	
Qty.	20 pc(s).	
Type	KRN-M16/-300	Version
Order No.	<a href="#">1495550000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118304978	
Qty.	20 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

120 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M20/-120 90	Version
Order No.	<a href="#">1497780000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307191	
Qty.	25 pc(s).	
Type	KWPN-M16/120 90	Version
Order No.	<a href="#">1497770000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307030	
Qty.	25 pc(s).	
Type	KWPN-M10/-120 90	Version
Order No.	<a href="#">1497750000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307061	
Qty.	25 pc(s).	
Type	KWPN-M12/-120 90	Version
Order No.	<a href="#">1497760000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307184	
Qty.	25 pc(s).	

16 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M12/-16 90	Version
Order No.	<a href="#">1497480000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306866	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KWPN-M6/-16 90	Version
Order No.	<a href="#">1497440000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306644	
Qty.	100 pc(s).	
Type	KWPN-M8/-16 90	Version
Order No.	<a href="#">1497450000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306873	
Qty.	100 pc(s).	
Type	KWPN-M10/-16 90	Version
Order No.	<a href="#">1497470000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307016	
Qty.	100 pc(s).	

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M16/-300 S	Version
Order No.	<a href="#">1494400000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118303889	
Qty.	5 pc(s).	
Type	KRN-M10/300 S	Version
Order No.	<a href="#">1494380000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118303926	
Qty.	5 pc(s).	
Type	KRN-M12/-300 S	Version
Order No.	<a href="#">1494390000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118303940	
Qty.	5 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-35 90	Version
Order No.	<a href="#">1495930000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305173	
Qty.	100 pc(s).	
Type	KWN-M6/-35 90	Version
Order No.	<a href="#">1495910000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305418	
Qty.	100 pc(s).	
Type	KWN-M16/-35 90	Version
Order No.	<a href="#">1494690000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304268	
Qty.	100 pc(s).	
Type	KWN-M12/-35 90	Version
Order No.	<a href="#">1495940000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305623	
Qty.	100 pc(s).	
Type	KWN-M14/-35 90	Version
Order No.	<a href="#">1494640000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118304350	
Qty.	100 pc(s).	
Type	KWN-M8/-35 90	Version
Order No.	<a href="#">1495920000</a>	cable lug, terminal end, 35 mm <sup>2</sup>
GTIN (EAN)	4050118305548	
Qty.	100 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M8/-240	Version
Order No.	<a href="#">1495480000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304756	
Qty.	25 pc(s).	
Type	KRN-M10/-240	Version
Order No.	<a href="#">1495490000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305050	
Qty.	25 pc(s).	
Type	KRN-M16/-240	Version
Order No.	<a href="#">1495510000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304770	
Qty.	25 pc(s).	
Type	KRN-M12/-240	Version
Order No.	<a href="#">1495500000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305142	
Qty.	25 pc(s).	
Type	KRN-M14/-240	Version
Order No.	<a href="#">1497270000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118306842	
Qty.	25 pc(s).	
Type	KRN-M20/-240	Version
Order No.	<a href="#">1495520000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305104	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


Type	KWN-M20/-240 45	Version
Order No.	<a href="#">1495420000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305234	
Qty.	15 pc(s).	
Type	KWN-M16/-240 45	Version
Order No.	<a href="#">1495410000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305203	
Qty.	15 pc(s).	
Type	KWN-M12/-240 45	Version
Order No.	<a href="#">1495400000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118305227	
Qty.	15 pc(s).	
Type	KWN-M10/-25 45	Version
Order No.	<a href="#">1496200000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305593	
Qty.	100 pc(s).	
Type	KWN-M12/-25 45	Version
Order No.	<a href="#">1496210000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305715	
Qty.	100 pc(s).	
Type	KWN-M6/-25 45	Version
Order No.	<a href="#">1496180000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118305876	
Qty.	100 pc(s).	
Type	KWN-M8/-25 45	Version
Order No.	<a href="#">1496190000</a>	cable lug, terminal end, 25 mm <sup>2</sup>
GTIN (EAN)	4050118306231	
Qty.	100 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****25 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPLN/-25	Version
Order No.	<a href="#">1492910000</a>	cable lug, terminal end, 25 mm <sup>2</sup> , 25 mm <sup>2</sup>
GTIN (EAN)	4050118302646	
Qty.	100 pc(s).	

**16 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPLN/-16	Version
Order No.	<a href="#">1492900000</a>	cable lug, terminal end, 16 mm <sup>2</sup> , 16 mm <sup>2</sup>
GTIN (EAN)	4050118302714	
Qty.	100 pc(s).	



## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

150 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M14/-150	Version
Order No.	<a href="#">1495810000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305500	
Qty.	25 pc(s).	
Type	KRN-M10/-150	Version
Order No.	<a href="#">1495710000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305159	
Qty.	25 pc(s).	
Type	KRN-M20/-150	Version
Order No.	<a href="#">1495740000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305357	
Qty.	25 pc(s).	
Type	KRN-M16/-150	Version
Order No.	<a href="#">1495730000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305395	
Qty.	25 pc(s).	
Type	KRN-M12/-150	Version
Order No.	<a href="#">1495720000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305296	
Qty.	25 pc(s).	
Type	KRN-M8/-150	Version
Order No.	<a href="#">1495700000</a>	cable lug, terminal end, 150 mm <sup>2</sup>
GTIN (EAN)	4050118305333	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M16/-95	Version
Order No.	<a href="#">1498220000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307719	
Qty.	50 pc(s).	
Type	KP-M12/-95	Version
Order No.	<a href="#">1498210000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307610	
Qty.	50 pc(s).	
Type	KP-M20/-95	Version
Order No.	<a href="#">1498230000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307634	
Qty.	50 pc(s).	
Type	KP-M8/-95	Version
Order No.	<a href="#">1498180000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307498	
Qty.	50 pc(s).	
Type	KP-M14/-95	Version
Order No.	<a href="#">1498520000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307863	
Qty.	50 pc(s).	
Type	KP-M10/-95	Version
Order No.	<a href="#">1498190000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118307603	
Qty.	50 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M16/-240 S	Version
Order No.	<a href="#">1494370000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304046	
Qty.	5 pc(s).	
Type	KRN-M10/-240 S	Version
Order No.	<a href="#">1494340000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118304039	
Qty.	5 pc(s).	
Type	KRN-M12/-240 S	Version
Order No.	<a href="#">1494350000</a>	cable lug, terminal end, 240 mm <sup>2</sup>
GTIN (EAN)	4050118303933	
Qty.	5 pc(s).	

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M12/-95 45	Version
Order No.	<a href="#">1496370000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118305890	
Qty.	25 pc(s).	
Type	KWN-M10/-95 45	Version
Order No.	<a href="#">1496350000</a>	cable lug, terminal end, 95 mm <sup>2</sup>
GTIN (EAN)	4050118306125	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold


Germany

www.weidmueller.com

## Accessories

Type	KWN-M8/-95 45	Version
Order No.	<a href="#">1496340000</a>	cable lug, terminal end, 95 mm²
GTIN (EAN)	4050118305821	
Qty.	25 pc(s).	
Type	KWN-M16/-95 45	Version
Order No.	<a href="#">1496380000</a>	cable lug, terminal end, 95 mm²
GTIN (EAN)	4050118305838	
Qty.	25 pc(s).	

## 150 mm²



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-150 90	Version
Order No.	<a href="#">1494500000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118303896	
Qty.	25 pc(s).	
Type	KWN-M12/-150 90	Version
Order No.	<a href="#">1494510000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118304305	
Qty.	25 pc(s).	
Type	KWN-M20/-150 90	Version
Order No.	<a href="#">1494530000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118304206	
Qty.	25 pc(s).	
Type	KWN-M16/-150 90	Version
Order No.	<a href="#">1494520000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118303995	
Qty.	25 pc(s).	
Type	KWN-M8/-150 90	Version
Order No.	<a href="#">1494490000</a>	cable lug, terminal end, 150 mm²
GTIN (EAN)	4050118304107	
Qty.	25 pc(s).	

## ES APG 80 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

240 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-240	Version
Order No.	<a href="#">1498730000</a>	cable lug, terminal end, 240 mm <sup>2</sup> , 240 mm <sup>2</sup>
GTIN (EAN)	4050118308044	
Qty.	15 pc(s).	

300 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M20/-300 90	Version
Order No.	<a href="#">1496790000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306545	
Qty.	10 pc(s).	
Type	KWPN-M16/-300 90	Version
Order No.	<a href="#">1496780000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306354	
Qty.	10 pc(s).	
Type	KWPN-M12/-300 90	Version
Order No.	<a href="#">1496770000</a>	cable lug, terminal end, 300 mm <sup>2</sup>
GTIN (EAN)	4050118306415	
Qty.	10 pc(s).	

**ES APG 80 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****185 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-185	Version
Order No.	<a href="#">1498720000</a>	cable lug, terminal end, 185 mm <sup>2</sup> , 185 mm <sup>2</sup>
GTIN (EAN)	4050118308051	
Qty.	25 pc(s).	