

**WSM 10 A****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**WSM small plates**

- Completely rust-free and acid-resistant
- Embossed characters are still legible when painted
- Also available with custom printing, embossed on a carrier
- Contents of the WSM Service Box, 40 each of: 0-9, A-Ö, +, -, x, /, :, ., ~, =, ü, Earth, Neutral. 200 steel cable ties (200 mm). 30 stainless steel carriers, 48 mm and 60 mm; 20 steel carriers, 84 mm, and 10 steel carriers, 108 mm and 288 mm

**General ordering data**

|            |  |
|------------|--|
| Version    | Stainless steel markers, Conductor and cable markers, 5.5 x 9.9 mm, silver |
| Order No.  | <a href="#">1712501637</a>   |
| Type       | WSM 10 A   |
| GTIN (EAN) | 4008190947286  |
| Qty.       | 200 pc(s).   |

**WSM 10 A****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Depth      | 0.3 mm | Depth (inches)  | 0.012 inch |
| Height     | 5.5 mm | Height (inches) | 0.217 inch |
| Width      | 9.9 mm | Width (inches)  | 0.39 inch  |
| Net weight | 0.15 g |                 |            |

**Temperatures**

|                             |        |
|-----------------------------|--------|
| Operating temperature range | 500 °C |
|-----------------------------|--------|

**General data**

|                                      |  |                |
|--------------------------------------|--|----------------|
| Colour                               | silver   |                |
| Halogen                              | No   |                |
| Material                             | Stainless steel 1.4404                         |                |
| Number of markers per combination    | 1 Component part = Conductor and cable markers |                |
| Number of markers per packaging unit | Form of supply                                 | Component part |
| Operating temperature range          | 500 °C   |                |
| Operating temperature range, max.    | 500 °C   |                |
| Orientation of print                 | horizontal                                     |                |
| Printed characters                   | Upper-case letters                             |                |
| Printing                             | A  |                |
| Type of printing                     | Standard                                       |                |
| Width                                | 9.9 mm   |                |

**Conductor and cable markers**

|                                  |                          |                               |                    |
|----------------------------------|--------------------------|-------------------------------|--------------------|
| Conductor cross-section, max.    | 500 mm <sup>2</sup>      | Conductor cross-section, min. | 16 mm <sup>2</sup> |
| Cross-section for connected wire | 16 - 500 mm <sup>2</sup> | Halogen                       | No                 |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001530    | ETIM 7.0    | EC001530    |
| ETIM 8.0    | EC001530    | ETIM 9.0    | EC001530    |
| ECLASS 9.0  | 27-40-04-01 | ECLASS 9.1  | 27-40-04-01 |
| ECLASS 10.0 | 27-40-04-01 | ECLASS 11.0 | 27-28-11-02 |
| ECLASS 12.0 | 27-28-11-02 | ECLASS 13.0 | 27-28-11-02 |

**Environmental Product Compliance**

|            |   |
|------------|---|
| REACH SVHC | / |
|------------|---|

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|            |  |
|------------|--|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
|------------|--|

## WSM 10 A

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Stainless steel



Weidmüller stainless steel Series contains a comprehensive assortment of stainless steel cable ties for extreme conditions such as high temperatures or severe chemical effects.

- stainless steel AISI 316,
- ideal for use outdoors,
- radiation- and corrosion-resistant,
- anti-magnetic,
- no serrations, so no damage to the insulation.

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | SCT 4.6/838                | Version   |
| Order No.  | <a href="#">1699940000</a> | Cable ties, 4.6 x 838 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892388              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/520                | Version   |
| Order No.  | <a href="#">1699920000</a> | Cable ties, 4.6 x 520 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892364              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/679                | Version   |
| Order No.  | <a href="#">1699930000</a> | Cable ties, 4.6 x 679 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892371              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/127 C              | Version   |
| Order No.  | <a href="#">1699800000</a> | Cable ties, 4.6 x 127 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892241              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/266 C              | Version   |
| Order No.  | <a href="#">1699900000</a> | Cable ties, 4.6 x 266 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892340              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/201 C              | Version   |
| Order No.  | <a href="#">1699810000</a> | Cable ties, 4.6 x 201 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892258              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | SCT 4.6/360 C              | Version   |
| Order No.  | <a href="#">1699910000</a> | Cable ties, 4.6 x 360 mm, Stainless steel 1.4301, 445 N |
| GTIN (EAN) | 4008190892357              |   |
| Qty.       | 100 pc(s).                 |   |

## WSM 10 A

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Cable tie tools



## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | WSM TOOL AUTOMATIK         | Version   |
| Order No.  | <a href="#">1774470000</a> | Stainless steel markers, Conductor and cable markers, 180 x 275 mm, |
| GTIN (EAN) | 4032248149261              | silver  |
| Qty.       | 1 pc(s).                   |   |
| Type       | WSM TOOL MANUELL           | Version   |
| Order No.  | <a href="#">1774480000</a> | Stainless steel markers, Conductor and cable markers, 210 x 220 mm, |
| GTIN (EAN) | 4032248149278              | silver  |
| Qty.       | 1 pc(s).                   |   |

## Holder



WSM is a complete marking system for cables, conductors, pipes and components - it offers permanent labelling in environments which no other marker is able to withstand. This product line consists of labelling plates, carriers and stainless steel cable ties – available individually or complete in the WSM Set and Service Box.

**Advantages:**

- Sturdy embossed characters for maximum legibility
- Resistant to heat, cold, corrosion, acids, chemicals, fire, etc.
- Individual and multi-character markings, can also be combined
- Quick installation
- Ideal for outdoor applications
- Easy attachment with cable ties

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | WSMH 60MM                  | Version  |
| Order No.  | <a href="#">1774510000</a> | Stainless steel markers, Conductor and cable markers, 60 x 11 mm,  |
| GTIN (EAN) | 4032248149308              | silver   |
| Qty.       | 50 pc(s).                  |  |
| Type       | WSMH 108MM                 | Version  |
| Order No.  | <a href="#">1774530000</a> | Stainless steel markers, Conductor and cable markers, 108 x 11 mm, |
| GTIN (EAN) | 4032248149322              | silver   |
| Qty.       | 50 pc(s).                  |  |
| Type       | WSMH 84MM                  | Version  |
| Order No.  | <a href="#">1774520000</a> | Stainless steel markers, Conductor and cable markers, 84 x 11 mm,  |
| GTIN (EAN) | 4032248149315              | silver   |
| Qty.       | 50 pc(s).                  |  |

**WSM 10 A****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories**

|            |                            |  |
|------------|----------------------------|--|
| Type       | WSMH 48MM                  | Version  |
| Order No.  | <a href="#">1774500000</a> | Stainless steel markers, Conductor and cable markers, 48 x 11 mm,  |
| GTIN (EAN) | 4032248149292              | silver   |
| Qty.       | 50 pc(s).                  |  |
| Type       | WSMH 288MM                 | Version  |
| Order No.  | <a href="#">1774490000</a> | Stainless steel markers, Conductor and cable markers, 288 x 11 mm, |
| GTIN (EAN) | 4032248149285              | silver   |
| Qty.       | 50 pc(s).                  |  |