

**SMSE WF10/2XM6****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Product image**

Reducing cross-connectors enable simple and fast connection of terminal blocks with different rated cross-sections.

**General ordering data**

|            |   |
|------------|---|
| Version    | Bolt-type screw terminals, Busbar, Number of poles: |
| Order No.  | <a href="#">1868880000</a>                          |
| Type       | SMSE WF10/2XM6                                      |
| GTIN (EAN) | 4032248499755                                       |
| Qty.       | 10 pc(s).   |

**SMSE WF10/2XM6****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Depth      | 28.5 mm | Depth (inches)  | 1.122 inch |
| Height     | 48 mm   | Height (inches) | 1.89 inch  |
| Width      | 30 mm   | Width (inches)  | 1.181 inch |
| Net weight | 77.7 g  |                 |            |

**Temperatures**

|                     |                |
|---------------------|----------------|
| Storage temperature | -25 °C...55 °C |
|---------------------|----------------|

**Material data**

|          |             |                |        |
|----------|-------------|----------------|--------|
| Material | Copper      | Surface finish | tinned |
| Colour   | Silver grey |                |        |

**Additional technical data**

|                     |                 |
|---------------------|-----------------|
| Installation advice | Direct mounting |
|---------------------|-----------------|

**General**

|                     |                 |                |        |
|---------------------|-----------------|----------------|--------|
| Installation advice | Direct mounting | Surface finish | tinned |
|---------------------|-----------------|----------------|--------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002848    | ETIM 7.0    | EC002848    |
| ETIM 8.0    | EC002848    | ETIM 9.0    | EC002848    |
| ECLASS 9.0  | 27-14-11-92 | ECLASS 9.1  | 27-14-11-92 |
| ECLASS 10.0 | 27-14-11-92 | ECLASS 11.0 | 27-14-11-92 |
| ECLASS 12.0 | 27-14-11-92 | ECLASS 13.0 | 27-14-11-92 |

**Environmental Product Compliance**

|            |                                      |
|------------|--------------------------------------|
| REACH SVHC | Lead 7439-92-1                       |
| SCIP       | 0b4175f8-aa16-44b6-bff0-e8333344a12b |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                    |   |
|--------------------|---|
| Engineering Data   | <a href="#">CAD data – STEP</a>                 |
| User Documentation | <a href="#">StorageConditionsTerminalBlocks</a> |
| Catalogues         | <a href="#">Catalogues in PDF-format</a>        |
| Brochures          |   |

### SMSE WF10/2XM6

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

