

SCREWTY-M8-DM**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**The ideal tool for any application**

Screwty® is the ideal, all-purpose tool for tightening all common sensor and actuator cables. Even difficult-to-reach round plugs are accessible using the Screwty®. A simple turning movement tightens and loosens the connectors without the need for excessive force. The Screwty® is a unique and global solution since it fits with most cables and plugs from other vendors (over 90 %). The Screwty® consists of a handle with a conventional 1/4" adapter. Thus it can be used for all sizes: for M12 and M8 round plug-in connectors, and for M12F and M8F customisable plugs and sockets, as well as for all M23 plugs and sockets.

General ordering data

Version	Cable gland tool for moulded M8 cables
Order No.	1900011000
Type	SCREWTY-M8-DM
GTIN (EAN)	4032248436811
Qty.	1 pc(s).
Packaging	Cardboard box

SCREWTY-M8-DM**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Net weight	262 g
------------	-------

Screwing tools

Torque setting, max.	1.7 Nm	Torque setting, min.	0.5 Nm
----------------------	--------	----------------------	--------

Classifications

ETIM 6.0	EC000149	ETIM 7.0	EC000149
ETIM 8.0	EC000149	ETIM 9.0	EC000149
ECLASS 9.0	21-04-50-03	ECLASS 9.1	21-01-90-90
ECLASS 10.0	21-04-50-03	ECLASS 11.0	21-01-90-90
ECLASS 12.0	21-01-90-90	ECLASS 13.0	21-01-90-90

Environmental Product Compliance

REACH SVHC	/
------------	---

Important note

Product information	Included in delivery: <ul style="list-style-type: none">• Torque screwdriver 0.5-1.7 Nm + Setting aid• Interchangeable blade 1/4 inch• Attachment M8 for moulded lines
---------------------	--

Downloads

Product Change Notification	20210319 Technical change to Screwty® torque screwdriver 20210319 Technische Änderung zu Screwty® Drehmomentschraubendreher
Catalogues	Catalogues in PDF-format
Brochures	FL FIELDWIRING EN FL FIELDWIRING EN