

**ES EPG/HPG 60 WM 50****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Similar to illustration****Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

**General ordering data**

|            |                                |
|------------|--------------------------------|
| Version    | Crimping tool insert, WM crimp |
| Order No.  | <a href="#">2469580000</a>     |
| Type       | ES EPG/HPG 60 WM 50            |
| GTIN (EAN) | 4050118483864                  |
| Qty.       | 1 pc(s).                       |

**ES EPG/HPG 60 WM 50****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|            |       |                 |            |
|------------|-------|-----------------|------------|
| Depth      | 22 mm | Depth (inches)  | 0.866 inch |
| Height     | 42 mm | Height (inches) | 1.654 inch |
| Width      | 42 mm | Width (inches)  | 1.654 inch |
| Net weight | 139 g |                 |            |

**Crimp inserts**

|                            |    |                |      |
|----------------------------|----|----------------|------|
| Crimp cross-section copper | 50 | Crimping width | 5 mm |
| Crimping width in mm       | 5  |                |      |

**Description of contact**

|                                   |   |                 |                       |
|-----------------------------------|---|-----------------|-----------------------|
| Conductor cross-section, max. AWG | 1 | Type of contact | Euro series cable lug |
|-----------------------------------|---|-----------------|-----------------------|

**tool data crimping**

|                         |          |                    |
|-------------------------|----------|--------------------|
| Cable lug cross section | nominal  | 50 mm <sup>2</sup> |
| Crimping type/profile   | WM crimp |                    |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001282    | ETIM 7.0    | EC001282    |
| ETIM 8.0    | EC001282    | ETIM 9.0    | EC001282    |
| ECLASS 9.0  | 21-04-90-90 | ECLASS 9.1  | 21-01-90-90 |
| ECLASS 10.0 | 21-04-90-90 | ECLASS 11.0 | 21-04-90-90 |
| ECLASS 12.0 | 21-04-90-90 | ECLASS 13.0 | 21-04-90-90 |

**Environmental Product Compliance**

|            |   |
|------------|---|
| REACH SVHC | / |
|------------|---|

**Downloads**

|            |  |
|------------|--|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
|------------|--|

## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data


|            |                            |   |
|------------|----------------------------|---|
| Type       | KQN-M6/-50                 | Version                                     |
| Order No.  | <a href="#">1493510000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303179              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KQN-M8/-50                 | Version                                     |
| Order No.  | <a href="#">1493150000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302868              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KQN-M10/-50                | Version                                     |
| Order No.  | <a href="#">1493160000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303049              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KQN-M16/-50                | Version                                     |
| Order No.  | <a href="#">1493180000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302844              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KQN-M12/-50                | Version                                     |
| Order No.  | <a href="#">1493170000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303216              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KQN-M20/-50                | Version                                     |
| Order No.  | <a href="#">1493530000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118303513              |   |
| Qty.       | 50 pc(s).                  |   |

**ES EPG/HPG 60 WM 50****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****50 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPN/-50                    | Version  |
| Order No.  | <a href="#">1498660000</a> | cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307948              |  |
| Qty.       | 50 pc(s).                  |  |

**50 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

|            |                            |  |
|------------|----------------------------|--|
| Type       | KSN/-50                    | Version  |
| Order No.  | <a href="#">1492820000</a> | cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302769              |  |
| Qty.       | 50 pc(s).                  |  |

## ES EPG/HPG 60 WM 50

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KWPN-M8/-50 90             | Version                                     |
| Order No.  | <a href="#">1497590000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306699              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWPN-M12/-50 90            | Version                                     |
| Order No.  | <a href="#">1497620000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306675              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWPN-M10/-50 90            | Version                                     |
| Order No.  | <a href="#">1497610000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307078              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWPN-M16/-50 90            | Version                                     |
| Order No.  | <a href="#">1497630000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307115              |   |
| Qty.       | 100 pc(s).                 |   |

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KWN-M6/-50 45              | Version                                     |
| Order No.  | <a href="#">1496270000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305937              |   |
| Qty.       | 50 pc(s).                  |   |

## ES EPG/HPG 60 WM 50

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

|            |                            |   |
|------------|----------------------------|---|
| Type       | KWN-M8/-50 45              | Version                                     |
| Order No.  | <a href="#">1496280000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306101              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KWN-M10/-50 45             | Version                                     |
| Order No.  | <a href="#">1496290000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305760              |   |
| Qty.       | 50 pc(s).                  |   |
| Type       | KWN-M12/-50 45             | Version                                     |
| Order No.  | <a href="#">1496300000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306040              |   |
| Qty.       | 50 pc(s).                  |   |

### 50 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VPLN/-50                   | Version  |
| Order No.  | <a href="#">1492930000</a> | cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302684              |  |
| Qty.       | 100 pc(s).                 |  |

## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Tools

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | HPG 60                     | Version  |
| Order No.  | <a href="#">2453820000</a> | 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, WM crimp, Indent crimp, |
| GTIN (EAN) | 4050118468427              | Trapezoidal crimp, Oval crimping   |
| Qty.       | 1 pc(s).                   |  |

50 mm<sup>2</sup>**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KRN-M8/-50 S               | Version                                     |
| Order No.  | <a href="#">1494830000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304404              |   |
| Qty.       | 25 pc(s).                  |   |
| Type       | KRN-M6/-50 S               | Version                                     |
| Order No.  | <a href="#">1494820000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304114              |   |
| Qty.       | 25 pc(s).                  |   |
| Type       | KRN-M10/-50 S              | Version                                     |
| Order No.  | <a href="#">1494840000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304619              |   |
| Qty.       | 25 pc(s).                  |   |

## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KP-M20/-50                 | Version                                     |
| Order No.  | <a href="#">1498120000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307597              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M16/-50                 | Version                                     |
| Order No.  | <a href="#">1498110000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307474              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M8/-50                  | Version                                     |
| Order No.  | <a href="#">1498070000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307566              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M10/-50                 | Version                                     |
| Order No.  | <a href="#">1498080000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307559              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M12/-50                 | Version                                     |
| Order No.  | <a href="#">1498090000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307375              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M6/-50                  | Version                                     |
| Order No.  | <a href="#">1498510000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118308006              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KP-M14/-50                 | Version                                     |
| Order No.  | <a href="#">1498570000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118308105              |   |
| Qty.       | 100 pc(s).                 |   |



## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KWN-M6/-50 90              | Version                                     |
| Order No.  | <a href="#">1495950000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305388              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M8/-50 90              | Version                                     |
| Order No.  | <a href="#">1495970000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305425              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M20/-50 90             | Version                                     |
| Order No.  | <a href="#">1494710000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304442              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M10/-50 90             | Version                                     |
| Order No.  | <a href="#">1495980000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305494              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M12/-50 90             | Version                                     |
| Order No.  | <a href="#">1495990000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305654              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M14/50 90              | Version                                     |
| Order No.  | <a href="#">1494650000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304251              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KWN-M16/-50 90             | Version                                     |
| Order No.  | <a href="#">1496000000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305630              |   |
| Qty.       | 100 pc(s).                 |   |

## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Tools

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | EPG 60                     | Version  |
| Order No.  | <a href="#">2453810000</a> | Pressing tools, Tools, Pressing tool, 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, |
| GTIN (EAN) | 4050118468434              | WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping                                       |
| Qty.       | 1 pc(s).                   |  |

50 mm<sup>2</sup>**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/50                    | Version  |
| Order No.  | <a href="#">1493070000</a> | cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118302691              |  |
| Qty.       | 100 pc(s).                 |  |

## ES EPG/HPG 60 WM 50

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

50 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231


## General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KRN-M6/-50                 | Version                                     |
| Order No.  | <a href="#">1496590000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305746              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M20/-50                | Version                                     |
| Order No.  | <a href="#">1495840000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305364              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M10/-50                | Version                                     |
| Order No.  | <a href="#">1496610000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306064              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M14/-50                | Version                                     |
| Order No.  | <a href="#">1495750000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305197              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M16/-50                | Version                                     |
| Order No.  | <a href="#">1496630000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306200              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M12/-50                | Version                                     |
| Order No.  | <a href="#">1496620000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305722              |   |
| Qty.       | 100 pc(s).                 |   |
| Type       | KRN-M8/-50                 | Version                                     |
| Order No.  | <a href="#">1496600000</a> | cable lug, terminal end, 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306149              |   |
| Qty.       | 100 pc(s).                 |   |

**ES EPG/HPG 60 WM 50**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Accessories****50 mm<sup>2</sup>**

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

|            |                            |  |
|------------|----------------------------|--|
| Type       | VSTN/-50                   | Version  |
| Order No.  | <a href="#">1494750000</a> | cable lug, terminal end, 50 mm <sup>2</sup> , 50 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304381              |  |
| Qty.       | 50 pc(s).                  |  |