

SCHUKO TS35**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

- Simple installation in electrical cabinet
- TS35 module can be mounted on rail
- VDE mark of conformity
- Two-pole with earthing contact

General ordering data

| | |
|-----------------|--|
| Version | Electrical-cabinet socket outlet TS 35 |
| Order No. | 8734580000 |
| Type | SCHUKO TS35 |
| GTIN (EAN) | 4032248407835 |
| Qty. | 10 pc(s). |
| Delivery status | This article will no longer be available in the future. |
| Available until | 2024-08-03 |

SCHUKO TS35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|-------|-----------------|------------|
| Height | 45 mm | Height (inches) | 1.772 inch |
| Width | 76 mm | Width (inches) | 2.992 inch |
| Length | 60 mm | Length (inches) | 2.362 inch |
| Net weight | 95 g | | |

Temperatures

| | | | |
|---------------------|----------------|-----------------------|-------------|
| Storage temperature | -20 °C...40 °C | Operating temperature | -20 °C...40 |
|---------------------|----------------|-----------------------|-------------|

Input

| | |
|---------------|------|
| Rated current | 16 A |
|---------------|------|

General data

| | | | |
|--------|-------|--------|----------------------|
| Colour | beige | Design | Installation housing |
| Rail | TS 35 | | |

Insulation coordination

| | | | |
|--------------------|---|------------------------|----|
| Pollution severity | 2 | Surge voltage category | II |
|--------------------|---|------------------------|----|

Insulation coordination acc. to EN 50178

| | | | |
|--------------------|---|------------------------|----|
| Pollution severity | 2 | Surge voltage category | II |
|--------------------|---|------------------------|----|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000125 | ETIM 7.0 | EC000125 |
| ETIM 8.0 | EC000125 | ETIM 9.0 | EC000125 |
| ECLASS 9.0 | 27-14-40-42 | ECLASS 9.1 | 27-14-40-42 |
| ECLASS 10.0 | 27-14-40-42 | ECLASS 11.0 | 27-14-40-42 |
| ECLASS 12.0 | 27-14-40-42 | ECLASS 13.0 | 27-14-40-42 |
| ECLASS 14.0 | 27-14-40-42 | | |

Environmental Product Compliance

| | |
|------------------------|-----------|
| REACH SVHC | / |
| RoHS Compliance Status | Compliant |

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|---|---|
| Approval/Certificate/Document of Conformity | Declaration of Conformity |
| Engineering Data | CAD data – STEP |
| Catalogues | Catalogues in PDF-format |

Creation date October 6, 2024 2:54:15 AM CEST

Catalogue status 28.09.2024 / We reserve the right to make technical changes.

SCHUKO TS35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

W-Series



Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

General ordering data

| | | |
|------------|----------------------------|---|
| Type | WEW 35/2 V0 GF SW | Version |
| Order No. | 1479000000 | End bracket, black, TS 35, V-0, Wemid, Width: 8 mm, 130 °C |
| GTIN (EAN) | 4050118286779 | |
| Qty. | 50 pc(s). | |
| Type | WEW 35/1 V0 GF SW | Version |
| Order No. | 1478990000 | End bracket, black, TS 35, V-0, Wemid, Width: 12 mm, 130 °C |
| GTIN (EAN) | 4050118286892 | |
| Qty. | 50 pc(s). | |

Crosshead screwdriver, Pozidrive



VDE insulated screwdriver sets, for working on live parts up to 1000 V AC and 1500 V DC, DIN EN 60900. IEC 900. Each piece is "GS" safety tested. Blade made from fully hardened, high-alloy chromium-vanadium-molybdenum steel, gun-metal finish.

General ordering data

| | | |
|------------|----------------------------|--------------------------|
| Type | SDIK PZ1 SL | Version |
| Order No. | 1274730000 | Screwdriver, Screwdriver |
| GTIN (EAN) | 4050118073225 | |
| Qty. | 1 pc(s). | |

SCHUKO TS35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Slotted screwdriver



VDE insulated screwdriver sets, for working on live parts up to 1000 V AC and 1500 V DC, DIN EN 60900. IEC 900. Each piece is "GS" safety tested. Blade made from fully hardened, high-alloy chromium-vanadium-molybdenum steel, gun-metal finish.

General ordering data

| | | |
|------------|----------------------------|----------------------------|
| Type | SDIS SL 0.6X3.5X100 | Version |
| Order No. | 1274660000 | Screwdriver, Mounting tool |
| GTIN (EAN) | 4050118072631 | |
| Qty. | 1 pc(s). | |