

HTN 21**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Crimping tools for non-insulated connectors**

Rolled cable lugs, tubular cable lugs, terminal pins, parallel and serial connectors

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Version	Pressing tool, Crimping tool for contacts, 0.5mm ² , 6mm ² , Indent crimp
Order No.	9014610000
Type	HTN 21
GTIN (EAN)	4008190152734
Qty.	1 pc(s).

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Width	200 mm	Width (inches)	7.874 inch
Net weight	421.6 g		

Technical data

Description of article	Crimping tool for non-insulated connectors, 0.5-6 mm ²	Version	Mechanical, without interchangeable inserts
------------------------	-------------------------------------------------------------------	---------	---------------------------------------------

Description of contact

Conductor cross-section, max. AWG	AWG 10	Conductor cross-section, min. AWG	AWG 21
Crimping range, max.	6 mm ²	Crimping range, min.	0.5 mm ²
Type of contact	Uninsulated connection		

tool data crimping

Crimping type/profile	Indent crimp	Wire end ferrules cross-section, max.	6 mm ²
Wire end ferrules cross-section, min.	0.5 mm ²		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ETIM 9.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11
ECLASS 12.0	21-04-38-11	ECLASS 13.0	21-04-38-11

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

Downloads


Engineering Data	CAD data – STEP
User Documentation	Manual
Catalogues	Catalogues in PDF-format
Brochures	

HTN 21

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-25	Version
Order No.	1495830000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118305562	
Qty.	100 pc(s).	
Type	KRN-M6/-25	Version
Order No.	1496490000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118305784	
Qty.	100 pc(s).	
Type	KRN-M14/-25	Version
Order No.	1496530000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118305883	
Qty.	100 pc(s).	
Type	KRN-M8/-25	Version
Order No.	1496500000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118305975	
Qty.	100 pc(s).	
Type	KRN-M10/-25	Version
Order No.	1496510000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118305814	
Qty.	100 pc(s).	
Type	KRN-M12/-25	Version
Order No.	1496520000	cable lug, terminal end, 25 mm ²
GTIN (EAN)	4050118306163	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-2,5	Version
Order No.	1497350000	cable lug, terminal end, 2.5 mm ² , 2.5 mm ²
GTIN (EAN)	4050118306859	
Qty.	100 pc(s).	

0.5 - 1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M8/-1	Version
Order No.	1493810000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303476	
Qty.	100 pc(s).	
Type	KQN-M4/-1	Version
Order No.	1493770000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303377	
Qty.	100 pc(s).	
Type	KQN-M5/-1	Version
Order No.	1493790000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303704	
Qty.	100 pc(s).	
Type	KQN-M10/-1	Version
Order No.	1493710000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303353	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQN-M3/-1	Version
Order No.	1493740000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303568	
Qty.	100 pc(s).	
Type	KQN-M2/-1	Version
Order No.	1493720000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303612	
Qty.	100 pc(s).	
Type	KQN-M5/S/-1	Version
Order No.	1493780000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303575	
Qty.	100 pc(s).	
Type	KQN-M3,5/-1	Version
Order No.	1493750000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303469	
Qty.	100 pc(s).	
Type	KQN-M2,5/-1	Version
Order No.	1493730000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303452	
Qty.	100 pc(s).	
Type	KQN-M4/S/-1	Version
Order No.	1493760000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303384	
Qty.	100 pc(s).	
Type	KQN-M6/-1	Version
Order No.	1493800000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303735	
Qty.	100 pc(s).	

0.5 - 1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/0,5-1,0	Version
Order No.	1492860000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118302615	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


4 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-4	Version
Order No.	1497370000	cable lug, terminal end, 4 mm ² , 4 mm ²
GTIN (EAN)	4050118307009	
Qty.	100 pc(s).	

1.0 - 1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KRN-M3/-1,5	Version
Order No.	1495040000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304916	
Qty.	100 pc(s).	
Type	KRN-M6/-1,5	Version
Order No.	1495080000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304732	
Qty.	100 pc(s).	
Type	KRN-M4/-1,5	Version
Order No.	1495050000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304886	
Qty.	100 pc(s).	
Type	KRN-M5/-1,5	Version
Order No.	1495070000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304565	
Qty.	100 pc(s).	

HTN 21**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories****0.1 - 0.5 mm²**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/0,1-0,5	Version
Order No.	1492980000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118302974	
Qty.	100 pc(s).	

1.5 - 2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/1,5-2,5	Version
Order No.	1493010000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302820	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-2,5	Version
Order No.	1495110000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304596	
Qty.	100 pc(s).	
Type	KRN-M4/-2,5	Version
Order No.	1495090000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118305029	
Qty.	100 pc(s).	
Type	KRN-M5/-2,5	Version
Order No.	1495100000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304879	
Qty.	100 pc(s).	
Type	KRN-M8/-2,5	Version
Order No.	1495120000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304824	
Qty.	100 pc(s).	

0.1 - 0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/0,1-0,5	Version
Order No.	1492850000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118302554	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

1.0 - 1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-1,5 90	Version
Order No.	1495240000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304862	
Qty.	100 pc(s).	
Type	KWN-M3/-1,5 90	Version
Order No.	1495210000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304893	
Qty.	100 pc(s).	
Type	KWN-M4/-1,5 90	Version
Order No.	1495220000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304572	
Qty.	100 pc(s).	
Type	KWN-M5/-1,5 90	Version
Order No.	1495230000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118304749	
Qty.	100 pc(s).	

0.5 - 1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/0,5-1	Version
Order No.	1492990000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303001	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-2,5 90	Version
Order No.	1495290000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304923	
Qty.	100 pc(s).	
Type	KWN-M6/-2,5 90	Version
Order No.	1495280000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118305111	
Qty.	100 pc(s).	
Type	KWN-M4/-2,5 90	Version
Order No.	1495250000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304725	
Qty.	100 pc(s).	
Type	KWN-M5/-2,5 90	Version
Order No.	1495270000	cable lug, terminal end, 2.5 mm ²
GTIN (EAN)	4050118304954	
Qty.	100 pc(s).	

4 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-4	Version
Order No.	1495130000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118304831	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M6/-4	Version
Order No.	1495150000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118305067	
Qty.	100 pc(s).	
Type	KRN-M5/-4	Version
Order No.	1495140000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118305043	
Qty.	100 pc(s).	
Type	KRN-M8/-4	Version
Order No.	1495170000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118304855	
Qty.	100 pc(s).	

4 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M4/-4 90	Version
Order No.	1495300000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118305081	
Qty.	100 pc(s).	
Type	KWN-M5/-4 90	Version
Order No.	1495310000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118304794	
Qty.	100 pc(s).	
Type	KWN-M8/-4 90	Version
Order No.	1495330000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118305128	
Qty.	100 pc(s).	
Type	KWN-M6/-4 90	Version
Order No.	1495320000	cable lug, terminal end, 4 mm ²
GTIN (EAN)	4050118304763	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


4 - 6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/4-6,0	Version
Order No.	1492880000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118302721	
Qty.	100 pc(s).	

0.1 - 0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M3/-0,5	Version
Order No.	1493680000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303445	
Qty.	100 pc(s).	
Type	KQN-M4/-0,5	Version
Order No.	1493690000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303346	
Qty.	100 pc(s).	
Type	KQN-M5/-0,5	Version
Order No.	1493700000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303582	
Qty.	100 pc(s).	
Type	KQN-M2/-0,5	Version
Order No.	1493670000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118303438	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

1.5 -2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M8/-2,5	Version
Order No.	1493910000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303766	
Qty.	100 pc(s).	
Type	KQN-M10/-2,5	Version
Order No.	1493930000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303841	
Qty.	100 pc(s).	
Type	KQN-M5/S/-2,5	Version
Order No.	1493870000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303759	
Qty.	100 pc(s).	
Type	KQN-M12/-2,5	Version
Order No.	1493940000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303834	
Qty.	100 pc(s).	
Type	KQN-M3,5/-2,5	Version
Order No.	1493830000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303599	
Qty.	100 pc(s).	
Type	KQN-M4/S/-2,5	Version
Order No.	1493840000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303391	
Qty.	100 pc(s).	
Type	KQN-M4/-2,5	Version
Order No.	1493850000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303643	
Qty.	100 pc(s).	
Type	KQN-M6/-2,5	Version
Order No.	1493900000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303698	
Qty.	100 pc(s).	
Type	KQN-M3/-2,5	Version
Order No.	1493820000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303360	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQN-M5/-2,5	Version
Order No.	1493890000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303605	
Qty.	100 pc(s).	

4 - 6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/4-6	Version
Order No.	1493020000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118302950	
Qty.	100 pc(s).	

4 - 6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M5/-6	Version
Order No.	1492650000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302462	
Qty.	100 pc(s).	
Type	KQNG-M6/-6	Version
Order No.	1492660000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302547	
Qty.	100 pc(s).	
Type	KQNG-M4/-6	Version
Order No.	1493660000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118303339	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQNG-M8/-6	Version
Order No.	1492670000	cable lug, terminal end, 4 mm ² , 6 mm ²
GTIN (EAN)	4050118302608	
Qty.	100 pc(s).	

4 - 6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-6,0	Version
Order No.	1492770000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118302530	
Qty.	100 pc(s).	

0.5 - 0.75 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN-M0,5/-0,75	Version
Order No.	1497330000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118306637	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-16	Version
Order No.	1497010000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306538	
Qty.	100 pc(s).	
Type	KRN-M8/-16	Version
Order No.	1496990000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306514	
Qty.	100 pc(s).	
Type	KRN-M5/-16	Version
Order No.	1496970000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306569	
Qty.	100 pc(s).	
Type	KRN-M6/-16	Version
Order No.	1496980000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306583	
Qty.	100 pc(s).	
Type	KRN-M10/-16	Version
Order No.	1497000000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306460	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

4 - 6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M12/-6	Version
Order No.	1494000000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303490	
Qty.	100 pc(s).	
Type	KQN-M4/-6	Version
Order No.	1493950000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303919	
Qty.	100 pc(s).	
Type	KQN-M8/-6	Version
Order No.	1493980000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303674	
Qty.	100 pc(s).	
Type	KQN-M10/-6	Version
Order No.	1493990000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303797	
Qty.	100 pc(s).	
Type	KQN-M6/-6	Version
Order No.	1493970000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303667	
Qty.	100 pc(s).	
Type	KQN-M5/-6	Version
Order No.	1493960000	cable lug, terminal end, 4 mm ² - 6 mm ²
GTIN (EAN)	4050118303629	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


0.5 - 0.75 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M4/-0,75 90	Version
Order No.	1495190000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304909	
Qty.	100 pc(s).	
Type	KWN-M5/-0,75 90	Version
Order No.	1495200000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304930	
Qty.	100 pc(s).	
Type	KWN-M3/-0,75 90	Version
Order No.	1495180000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304787	
Qty.	100 pc(s).	

0.1 - 0.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/0,1-0,5	Version
Order No.	1492720000	cable lug, terminal end, 0.1 mm ² - 0.5 mm ²
GTIN (EAN)	4050118302653	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

1.5 - 2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M4/-2,5	Version
Order No.	1493630000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303292	
Qty.	100 pc(s).	
Type	KQNG-M3,5/-2,5	Version
Order No.	1493610000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303537	
Qty.	100 pc(s).	
Type	KQNG-M3/-2,5	Version
Order No.	1493600000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303278	
Qty.	100 pc(s).	
Type	KQNG-M6/-2,5	Version
Order No.	1493650000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303421	
Qty.	100 pc(s).	
Type	KQNG-M4/S/-2,5	Version
Order No.	1493620000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303247	
Qty.	100 pc(s).	
Type	KQNG-M5/-2,5	Version
Order No.	1493640000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118303193	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

0.5 - 1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/0,5-1,0	Version
Order No.	1492730000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118302486	
Qty.	100 pc(s).	

6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-6 90	Version
Order No.	1496130000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118305982	
Qty.	100 pc(s).	
Type	KWN-M8/-6 90	Version
Order No.	1496140000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306248	
Qty.	100 pc(s).	
Type	KWN-M4/-6 90	Version
Order No.	1497220000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306477	
Qty.	100 pc(s).	
Type	KWN-M12/-6 90	Version
Order No.	1496170000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118305869	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KWN-M5/-6 90	Version
Order No.	1496120000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118305753	
Qty.	100 pc(s).	
Type	KWN-M10/-6 90	Version
Order No.	1496150000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118305579	
Qty.	100 pc(s).	

1.0 - 1.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN-M1/-1,5	Version
Order No.	1497340000	cable lug, terminal end, 1 mm ² - 1.5 mm ²
GTIN (EAN)	4050118306910	
Qty.	100 pc(s).	

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-10	Version
Order No.	1496950000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306453	
Qty.	100 pc(s).	
Type	KRN-M4/-10	Version
Order No.	1496900000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306293	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M6/-10	Version
Order No.	1496920000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306439	
Qty.	100 pc(s).	
Type	KRN-M10/-10	Version
Order No.	1496940000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306521	
Qty.	100 pc(s).	
Type	KRN-M5/-10	Version
Order No.	1496910000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306378	
Qty.	100 pc(s).	
Type	KRN-M8/-10	Version
Order No.	1496930000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306552	
Qty.	100 pc(s).	

1.5 -2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/1,5-2,5	Version
Order No.	1492870000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302578	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-6	Version
Order No.	1497170000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306590	
Qty.	100 pc(s).	
Type	KRN-M4/-6	Version
Order No.	1497150000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306767	
Qty.	100 pc(s).	
Type	KRN-M10/-6	Version
Order No.	1497200000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306385	
Qty.	100 pc(s).	
Type	KRN-M12/-6	Version
Order No.	1497210000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306347	
Qty.	100 pc(s).	
Type	KRN-M8/-6	Version
Order No.	1497190000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306613	
Qty.	100 pc(s).	
Type	KRN-M6/-6	Version
Order No.	1497180000	cable lug, terminal end, 6 mm ²
GTIN (EAN)	4050118306729	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories


6 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-6	Version
Order No.	1494720000	cable lug, terminal end, 6 mm ² , 6 mm ²
GTIN (EAN)	4050118304190	
Qty.	100 pc(s).	

0.5 - 1 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M5/-1	Version
Order No.	1493580000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303315	
Qty.	100 pc(s).	
Type	KQNG-M4/S/-1	Version
Order No.	1493560000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303285	
Qty.	100 pc(s).	
Type	KQNG-M6/-1	Version
Order No.	1493590000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303506	
Qty.	100 pc(s).	
Type	KQNG-M4/-1	Version
Order No.	1493570000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303254	
Qty.	100 pc(s).	

HTN 21

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQNG-M3/-1	Version
Order No.	1493540000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303223	
Qty.	100 pc(s).	
Type	KQNG-M3,5/-1	Version
Order No.	1493550000	cable lug, terminal end, 0.5 mm ² - 1 mm ²
GTIN (EAN)	4050118303155	
Qty.	100 pc(s).	

1.5 - 2.5 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/1,5-2,5	Version
Order No.	1492740000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302660	
Qty.	100 pc(s).	
Type	KSN/-2,5	Version
Order No.	1492750000	cable lug, terminal end, 1.5 mm ² - 2.5 mm ²
GTIN (EAN)	4050118302707	
Qty.	100 pc(s).	

0.5 - 0.75 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-0,75	Version
Order No.	1495020000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304817	
Qty.	100 pc(s).	

HTN 21**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories**

Type	KRN-M5/-0,75	Version
Order No.	1495030000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304848	
Qty.	100 pc(s).	
Type	KRN-M3/-0,75	Version
Order No.	1495010000	cable lug, terminal end, 0.5 mm ² - 0.75 mm ²
GTIN (EAN)	4050118304800	
Qty.	100 pc(s).	