

CRIMPFIX LS**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

| | |
|------------|--------------------------------|
| Version | Automatic stripper and crimper |
| Order No. | 9028540000 |
| Type | CRIMPFIX LS |
| GTIN (EAN) | 4008190942687 |
| Qty. | 1 pc(s). |

CRIMPFIX LS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|----------|-----------------|-------------|
| Depth | 330 mm | Depth (inches) | 12.992 inch |
| Height | 460 mm | Height (inches) | 18.11 inch |
| Width | 390 mm | Width (inches) | 15.354 inch |
| Net weight | 31,000 g | | |

PW65 maintenance - automatic stripping/crimping

| | | | |
|---------------------------------------|-------------------------------|---------------------------------------|--|
| Compressed-air connection | 5 - 5.5 bar | Consumables | loose cable lugs |
| Crimping length | 6/8/10 mm | Drive | Electropneumatic |
| Electrical connection | 100-240 V / 50/60 Hz / 110 VA | Length of wire-end ferrule | 12/14/16 mm |
| Pulse time | approx. 1 s | Stripping range | 0.5 - 2.5 mm ² (~AWG 20-14) |
| Wire end ferrules cross-section, max. | 2.5 mm ² | Wire end ferrules cross-section, min. | 0.5 mm ² |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002778 | ETIM 7.0 | EC002778 |
| ETIM 8.0 | EC002778 | ETIM 9.0 | EC002778 |
| ECLASS 9.0 | 17-13-01-01 | ECLASS 9.1 | 17-13-01-01 |
| ECLASS 10.0 | 17-13-01-01 | ECLASS 11.0 | 17-13-01-01 |
| ECLASS 12.0 | 17-13-01-01 | ECLASS 13.0 | 17-13-01-01 |

Environmental Product Compliance

| | |
|------------|--------------------------------------|
| REACH SVHC | Lead 7439-92-1 |
| SCIP | d2df479e-2b79-4e98-adc7-b03577df98ae |

Important note

| | |
|---------------------|--|
| Product information | Old Version 9022650000 – SOT 1: 0.5 mm ² - 1.5 mm ² up to serial number CF L 1789 and CF LS 1475 9022660000 – SOT 2: 1.5 mm ² - 2.5 mm ² up to serial number CF L 1789 and CF LS 1475 New Version 1440540000 – SOT 1: 0.5 mm ² - 1.5 mm ² from serial number CF L 1790 and CF LS 1476 1440550000 – SOT 2: 1.5 mm ² - 2.5 mm ² from serial number CF L 1790 and CF LS 1476 |
|---------------------|--|

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads




| | |
|--------------------|--|
| User Documentation | Manual |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

CRIMPFIX LS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



CRIMPFIX LS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

| | | |
|------------|----------------------------|--------------------------------------|
| Type | SOT 1 CF L/LS V3 | Version |
| Order No. | 1440540000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118247602 | |
| Qty. | 1 pc(s). | |
| Type | SOT 2 CF L/LS V4 | Version |
| Order No. | 1440550000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118247619 | |
| Qty. | 1 pc(s). | |
| Type | EXZ-SET CF L/LS V3 | Version |
| Order No. | 1484880000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118293883 | |
| Qty. | 1 pc(s). | |
| Type | SCHWINGF.-OBERT.CF L | Version |
| Order No. | 9022650000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4032248178926 | |
| Qty. | 1 pc(s). | |
| Type | FESA CF L/LS V2 | Version |
| Order No. | 1454790000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118260779 | |
| Qty. | 1 pc(s). | |
| Type | MAGNETSCHALTER CF L/LS | Version |
| Order No. | 1523240000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118328950 | |
| Qty. | 1 pc(s). | |
| Type | SCHRSA CF L/LS V1 | Version |
| Order No. | 1454740000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118260670 | |
| Qty. | 1 pc(s). | |
| Type | CRWZG CF LS V2/V3 | Version |
| Order No. | 1424330000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118240146 | |
| Qty. | 1 pc(s). | |
| Type | AIMESA CF U/LS TIN | Version |
| Order No. | 1132150000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4032248920082 | |
| Qty. | 1 pc(s). | |
| Type | WTE CF L/LS V2/V3 | Version |
| Order No. | 1424470000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118240276 | |
| Qty. | 1 pc(s). | |

Creation date July 1, 2024 2:22:17 AM CEST

Catalogue status 14.06.2024 / We reserve the right to make technical changes.

CRIMPFIX LS**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories**

| | | |
|------------|----------------------------|--------------------------------------|
| Type | FESA CF L/LS V1 | Version |
| Order No. | 1454780000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118260809 | |
| Qty. | 1 pc(s). | |
| Type | SCHRSA CF L/LS V2 | Version |
| Order No. | 1454750000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118260588 | |
| Qty. | 1 pc(s). | |
| Type | AIMESA CF U/L/LS SK TIN | Version |
| Order No. | 1283530000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118073676 | |
| Qty. | 1 pc(s). | |
| Type | SCHWINGF.-OBERT./ CFL | Version |
| Order No. | 9022660000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4032248178940 | |
| Qty. | 1 pc(s). | |